comply with the duty to co-operate. Please be as precise as possible.houses. The proposed one way system will increase pollution REDACTED TEXTRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.	Family Name	Unsworth
TitleStakeholder SubmissionTypeWebFamily NameUnsworthGiven NameSheilaPerson ID1286606TitleJPA 19: Bamford / NordenTypeWebSoundness - Positively prepared?UnsoundSoundness - Justified?UnsoundSoundness - Justified?UnsoundCompliance - Legally compliant?YesCompliance - In accordance with the buty to Cooperate?YesRedacted reasons - to be legally compliant, su sound or fails to complexel. Please be as precise as possible.Schools already full proposed one way system will increase pollution REDACTED TEXT our Green spaces should be removed from the PfE.Redacted modification (s) you consider neessary to make this section of the pleal egally compliant, and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.	Given Name	Sheila
TypeWebFamily NameUnsworthGiven NameSheilaPerson ID1286606TitleJPA 19: Bamford / NordenTypeWebSoundness - Positively prepared?UnsoundSoundness - Justified?UnsoundSoundness - Consistent with national policy?UnsoundSoundness - Effective?UnsoundCompliance - Legally compliante - In accordance with the Duty to Cooperate?YesRedacted reasons - rob legally compliant, is unsound or fails to comply with the duty to cooperate. Please be as precise as possible.Schools already full Doctors already full, cannot get an appointment noads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses.Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respectJPA 19 Bamford / Norden should be removed from the PfE.	Person ID	1286606
Family Name Unsworth Given Name Sheila Person ID 1286606 Title JPA 19: Bamford / Norden Type Web Soundness - Positively Unsound Soundness - Consistent Unsound With national policy? Unsound Soundness - Consistent Unsound Soundness - Effective? Unsound Compliance - Legally Yes Compliance - In accordance with the Yes Duty to Cooperate? Schools already full Please give us details of why you consider the consultation point not to be legally compliant; Schools already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. Toe proposed one way system will increase pollution REDACTED TEXT JPA 19 Bamford / Norden should be removed from the PfE. Please set out the modification (s) you consider the plan legally compliant and sound, in respect of any legal compliance JPA 19 Bamford / Norden should be removed from the PfE.	Title	Stakeholder Submission
Given Name Sheila Person ID 1286606 Title JPA 19: Bamford / Norden Type Web Soundness - Positively Unsound Soundness - Consistent Unsound with national policy? Unsound Soundness - Consistent Unsound Soundness - Consistent Unsound Soundness - Effective? Unsound Compliance - Legally Yes Compliance - In Yes accordance with the Doctors already full Duty to Cooperate? Schools already full Redacted reasons - Schools already full Doctors already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air ro co-operate? Our Green spaces should be protected, not built on with ridiculous executive Redacted reasons - The proposed one way system will increase pollution REDACTED TEXT Our Green spaces should be removed from the PfE. The proposed one way system will increase pollution REDACTED TEXT Redacted modification - Please set out the JPA 19 Bamford / Norden should be removed from the PfE. Please set out the JPA 19 Bamford / Norden should be removed from the	Туре	Web
Person ID 1286606 Title JPA 19: Bamford / Norden Type Web Soundness - Positively Unsound Soundness - Justified? Unsound Soundness - Consistent Unsound with national policy? Unsound Soundness - Consistent Unsound with national policy? Ves Compliance - Legally Yes compliance - Legally Yes Compliance - In Yes accordance with the Doctors already full Duty to Cooperate? Schools already full Redacted reasons - Schools already full, cannot get an appointment rob be legally compliant, is unsound or fails to co-operate. Please biole. Schools already full, cannot get an appointment on with ridiculous executive houses. co-operate. Please biole. The proposed one way system will increase pollution REDACTED TEXT Redacted modification - Please set out the modification - and legally compliant, and sound, in respect JPA 19 Bamford / Norden should be removed from the PfE.	Family Name	Unsworth
TitleJPA 19: Bamford / NordenTypeWebSoundness - Positively prepared?UnsoundSoundness - Justified?UnsoundSoundness - Consistent with national policy?UnsoundSoundness - Effective?UnsoundCompliance - Legally compliant?YesCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - Please give us details to be legally compliant, is unsound or fails to cooperate. Please be as precise as possible.Schools already full Doctors already full Doctors already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executiv houses. The proposed one way system will increase pollution REDACTED TEXTRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respectJPA 19 Bamford / Norden should be removed from the PfE.	Given Name	Sheila
TypeWebSoundness - Positively prepared?UnsoundSoundness - Justified?UnsoundSoundness - Consistent with national policy?UnsoundSoundness - Consistent ompliance - Legally compliant?UnsoundCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - Please give us details of why you consider the computation point not to be legally compliant,Schools already full Doctors already full Doctors already full, cannot get an appointment ReDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executiva houses.Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant endaging complianteJPA 19 Bamford / Norden should be removed from the PfE.Please give complianceJPA 19 Bamford / Norden should be removed from the PfE.	Person ID	1286606
Soundness - Positively prepared? Unsound Soundness - Justified? Unsound Soundness - Consistent with national policy? Unsound Soundness - Effective? Unsound Compliance - Legally compliant? Yes Compliance - In accordance with the Duty to Cooperate? Yes Redacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to comply with the duty to Comply with the duty to consider necessary to make this section of the plan legally compliance Schools already full Doctors already full, cannot get an appointment Redacted modification - Please be as precise as possible. Schools already full Doctors already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXT Redacted modification - Please set out the plan legally compliance JPA 19 Bamford / Norden should be removed from the PfE.	Title	JPA 19: Bamford / Norden
prepared?Soundness - Justified?UnsoundSoundness - Consistent with national policy?UnsoundSoundness - Effective?UnsoundCompliance - Legally compliant?YesCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to co-operate. Please be as precise as possible.Schools already full Doctors already full, cannot get an appointment Redacted neasons - REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses.Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally complianceJPA 19 Bamford / Norden should be removed from the PfE.	Туре	Web
Soundness - Consistent with national policy? Unsound Soundness - Effective? Unsound Compliance - Legally compliant? Yes Compliance - In accordance with the Duty to Cooperate? Yes Redacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to comply with the duty to cooperate. Please be as precise as possible. Schools already full Doctors already full, cannot get an appointment REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXT Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant, and sound, in respect of any legal compliance JPA 19 Bamford / Norden should be removed from the PfE.	•	Unsound
with national policy?Soundness - Effective?UnsoundCompliance - Legally compliant?YesCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to comply with the duty to cooperate. Please be as precise as possible.Schools already full poctors already full, cannot get an appointment model at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses.Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant, and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.	Soundness - Justified?	Unsound
Compliance - Legally compliant?YesCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to co-operate. Please be 		Unsound
compliant?YesCompliance - In accordance with the Duty to Cooperate?YesRedacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to co-operate. Please be as precise as possible.Schools already full Doctors already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXTRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.	Soundness - Effective?	Unsound
accordance with the Duty to Cooperate?Schools already fullRedacted reasons - Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to co-operate. Please be as precise as possible.Schools already full Doctors already full, cannot get an appointment Roads congested at peak times, co2 / carbon monoxide pollutes the air REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXTRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.		Yes
Please give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to comply with the duty to co-operate. Please be as precise as possible.Doctors already full, cannot get an appointment Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respectDoctors already full, cannot get an appointmentPlease give us details of why you consider the consultation point not to be legally compliant, is unsound or fails to comply with the duty to co-operate. Please be as precise as possible.Doctors already full, cannot get an appointment Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceDoctors already full, cannot get an appointment Redacted modification Redacted modification (s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceDoctors already full, cannot get an appointment Redacted modification (s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceDoctors already full, cannot get an appointment (s) you (s) y	accordance with the	Yes
of why you consider the consultation point not to be legally compliant, is unsound or fails to co-operate. Please be as precise as possible.Bootors already full, carnot get all appointmentRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respectBootors already full, carnot get all appointmentBootors already full, carnot get all appointmentBootors already full, carnot get all appointmentRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respectJPA 19 Bamford / Norden should be removed from the PfE.	Redacted reasons -	-
Consultation point not to be legally compliant, is unsound or fails to comply with the duty to co-operate. Please be as precise as possible.REDACTED TEXT Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXTRedacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal complianceJPA 19 Bamford / Norden should be removed from the PfE.	-	
 is unsound or fails to comply with the duty to comply with the duty to co-operate. Please be as precise as possible. Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal compliance Our Green spaces should be protected, not built on with ridiculous executive houses. The proposed one way system will increase pollution REDACTED TEXT Please set out the modification(s) you consider necessary to make this section of the plan legally compliant 	-	•
as precise as possible. Redacted modification - Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal compliance	is unsound or fails to comply with the duty to	Our Green spaces should be protected, not built on with ridiculous executive houses.
- Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal compliance	-	The proposed one way system will increase pollution REDACTED TEXT
or soundness matters you have identified above.	- Please set out the modification(s) you consider necessary to make this section of the plan legally compliant and sound, in respect of any legal compliance or soundness matters you have identified	JPA 19 Bamford / Norden should be removed from the PfE.